Environmental Biology of Fishes **59:** 467–469, 2000.

Volume 59

Issue 1, pp. 1–116: September 2000
Issue 2, pp. 117–234: October 2000
Issue 3, pp. 235–352: November 2000
Issue 4, pp. 353–472: December 2000

Volume contents

Rapid communication

Barbus tanapelagius, a new species from Lake Tana (Ethiopia): its morphology and ecology, by M. de Graaf, E. Dejen, F.A. Sibbing & J.W.M. Osse 1–9

Full papers

Decline of native freshwater fishes in a Mediterranean watershed on the Iberian Peninsula: a quantitative assessment, by E. Aparicio, M.J. Vargas, J.M. Olmo & A. de Sostoa 11–19

Threatened fishes of the world: Fundulus lima *Vaillant, 1894 (Fundulidae), by G. Ruiz-Campos* ... 20

Ontogeny of spectral transmission in the eye of the tropical damselfish, *Dascyllus albisella* (Pomacentridae), and possible effects on UV vision, by G.S. Losey, P.A. Nelson & J.P. Zamzow 21–28

Spawning sounds of the male haddock, *Melanogrammus aeglefinus*, by A.D. Hawkins & M.C.P. Amorim 29–41

Seasonal abundance and reproduction of the fourwing flyingfish, *Hirundichthys affinis*, off Barbados, by S. Khokiattiwong, R. Mahon & W. Hunte 43–60

Monogamous mating system and spawning cycle in the gobiid fish, *Amblygobius phalaena* (Gobiidae), by T. Takegaki 61–67

Threatened fishes of the world: Macquaria australasica *Cuvier, 1830 (Percichthyidae), by B.A. Ingram, J.W. Douglas & M. Lintermans* 68

Daily cleaning activity and diversity of clients of the barber goby, *Elacatinus figaro*, on rocky reefs in southeastern Brazil, by I. Sazima, C. Sazima, R.B. Francini-Filho & R.L. Moura 69–77

Diel habitat partitioning by bull charr and cutthroat trout during fall and winter in Rocky Mountain streams, by M.J. Jakober, T.E. McMahon & R.F. Thurow 79–89

Biology of the sand smelt, *Atherina presbyter* (Teleostei: Atherinidae), off the Canary Islands (central-east Atlantic), by J.G. Pajuelo & J.M. Lorenzo 91–97

Threatened fishes of the world: Acipenser oxyrinchus *Mitchill, 1815 (Acipenseridae), by P. Vecsei & D. Peterson* 98

Condition, growth, and reproductive styles of fishes exposed to different environmental regimes in a prairie drainage, by J.J. Spranza & E.H. Stanley 99–109

Brief communications

Aggressive mimicry in the intra-populational color variation of the Tanganyikan scale-eater *Perissodus microlepis* (Cichlidae), by M. Hori & K. Watanabe 111–115

Full papers

Description of a juvenile megamouth shark, *Megachasma pelagios*, caught off Brazil, by A.F. Amorim, C.A. Arfelli & J.I. Castro 117–123

Fish communities of the lower Fraser River (Canada) and a 21-year contrast, by J.S. Richardson, T.J. Lissimore, M.C. Healey & T.G. Northcote 125–140

Variation in population and life history traits of the American eel, *Anguilla rostrata,* in four rivers in Maine, by K.Oliveira & J.D. McCleave 141–151

Environmental biology of an endemic cyprinid, *Varicorhinus alticorpus*, in a subtropical mountain stream of Taiwan, by C.-C. Han, K.S. Tew, I-S. Chen, L.-Y. Su & L.-S. Fang 153–161

Seasonal and diel changes in behaviour, microhabitat use and preferences by young pool-dwelling Atlantic salmon, *Salmo salar*, and brown trout, *Salmo trutta*, by G. Bremset 163–179

Air breathing and gill ventilation frequencies in juvenile tarpon, *Megalops atlanticus*: responses to changes in dissolved oxygen, temperature, hydrogen sulfide, and pH, by S.P. Geiger, J.J. Torres & R.E. Crabtree 181–190

Intralocality variation in feeding biomechanics and prey use in *Archosargus probatocephalus* (Teleostei, Sparidae), with implications for the ecomorphology of fishes, by M.M. Cutwa & R.G. Turingan 191–198

Effects of group membership and size distribution within a group on growth rates of juvenile sablefish *Anoplopoma fimbria*, by S.M. Sogard & B.L. Olla 199–209

Both contest and scramble competition affect the growth performance of brown trout, *Salmo trutta*, parr of wild and of sea-ranched origins, by E. Petersson & T. Järvi 211–218

Growth of the icefish *Neosalanx pseudotaihuensis* (Salangidae) in Xujiahe Reservoir, central China, by Z. Liu, A. Herzig & F. Schiemer 219–227

Brief communication

Gonadogenesis in landlocked and anadromous forms of the sea lamprey, *Petromyzon marinus*, by L.A. Barker & F.W.H. Beamish 229–234

Full papers

Movement patterns, habitat utilization, home range size and site fidelity of whitesaddle goatfish, *Parupeneus porphyreus*, in marine reserve, by C.G. Meyer, K.N. Holland, B.M. Wetherbee & C.G. Lowe 235–242

Influence of habitat structure on *Pomacentrus sulfureus*, a western Indian Ocean reef fish, by K.C. Bergman, M.C. Öhman & S. Svensson 243–252

Habitat use of fish communities in a Virginia stream system, by R.L. Vadas, Jr. & D.J. Orth 253–269

Threatened fishes of the world: Acipenser brevirostrum *Lesueur, 1818 (Acipenseridae), by P. Vecsei & D. Peterson* 270

Daily fish and zooplankton abundances in the littoral zone of Lake Texoma, Oklahoma-Texas, in relation to abiotic variables, by P.W. Lienesch & W.J. Matthews 271–283

Physiological ecology meets the ideal-free distribution: predicting the distribution of size-structured fish populations across temperature gradients, by N.F. Hughes & T.C. Grand 285–298

Growth of juvenile *Centropomus undecimalis* in a tropical island, by C. Aliaume, A. Zerbi, J.-C. Joyeux & J.M. Miller 299–308

Age, growth, and sexual development in the self-fertilizing hermaphroditic fish *Rivulus marmoratus*, by Y. Sakakura & D.L.G. Noakes 309–317

Inter-annual fidelity to summer feeding sites in Arctic grayling, by K.M. Buzby & L.A. Deegan ... 319–327

The effect of the mesoparasitic barnacle *Anelasma* on the development of reproductive organs of deep-sea squaloid sharks, *Centroscyllium* and *Etmopterus*, by K. Yano & J.A. Musick 329–339

Brief communications

Sound production in *Cyprinodon bifasciatus* (Cyprinodontiformes), by D.L. Johnson 341–346

Which factors affect sex ratio of spined loach (genus *Cobitis*) in Lake Müggelsee? by J.Bohlen & D. Ritterbusch 347–352

Invited editorial

'Threatened fishes of the world' series, an update, by J.A. Cambray 353–357

Obituary

Shigeru Nakano – an uncommon Japanese fish ecologist, by K.D. Fausch 359–364

Review

Some evolutionary arguments about what maintains the pelagic interval in reef fishes, by F. Bonhomme & S. Planes 365–383

Threatened fishes of the world: Notropis bifrenatus *(Cope, 1867) (Cyprinidae), by M.J. Sabo* 384

Full papers

Comparative morphology and taxonomic status of the ghost shiner, *Notropis buchanani*, in Canada, by E. Kott & D. Fitzgerald 385–392

The southern churchill, *Petrocephalus wesselsi*, a new species of mormyrid from South Africa defined by electric organ discharges, genetics, and morphology, by B. Kramer & F.H. van der Bank 393–413

Life history variation in female *Gambusia hubbsi*, by J.F. Downhower, L.P. Brown & M.L. Matsui 415–428

Effects of El Niño-related drought on freshwater and brackish-water fishes in Suriname, South America, by J.H. Mol, D. Resida, J.S. Ramlal & C.R. Becker 429–440

Preliminary study of vertebral growth rings in the whale shark, *Rhincodon typus*, from the east coast of South Africa, by S.P. Wintner 441–451

Brief communications

Sponge-dwelling fishes of northeastern Brazil, by L.A. Rocha, I.L. Rosa & B.M. Feitoza 453–458

Selectivity of experimental gillnets for fourwing flyingfish, *Hirundichthys affinis*, off Barbados, by R. Mahon, S. Khokiattiwong & H.A. Oxenford 459–463

Authors' index 465

Acknowledgements for refereeing 466

Volume contents 467–469

Instructions to authors 471–472